


DIN25201 双叠自锁垫圈 规格表
DIN25201 Dual-stacked self-locking washer


材质: SUS304.316

表面处理: 不锈钢表面硬化抛光处理本色


规格	公制型号	美制型号	内径 Φ_i	外径 Φ_o	厚度 T	百件重 Kg/100pcs
GL3ss	M3	#5	3.4	7	2.2	0.04
GL3.5ss	M3.5	#6	3.9	7.6	2.2	0.04
GL3.5spss	M3.5	#6	3.9	9	2.2	0.07
GL4ss	M4	#8	4.4	7.6	2.2	0.04
GL4spss	M4	#8	4.4	9	2.2	0.07
GL5ss	M5	#10	5.4	9	2.2	0.06
GL5spss	M5	#10	5.4	10.8	2.2	0.11
GL6ss	M6		6.5	10.8	2.2	0.09
GL6spss	M6		6.5	13.5	2	0.16
GL1/4"ss		1/4"	7.2	11.5	2.2	0.09
GL1/4spss		1/4"	7.2	13.5	2.2	0.15
GL8ss	M8	5/16"	8.7	13.5	2	0.12
GL8spss	M8	5/16"	8.7	16.6	2	0.23
GL3/8"ss		3/8"	10.3	16.6	2	0.19
GL3/8spss		3/8"	10.3	21	2	0.38
GL10ss	M10		10.7	16.6	2	0.18
GL10spss	M10		10.7	21	2	0.37
GL11ss	M11	7/16"	11.4	18.5	2.2	0.26
GL12ss	M12		13	19.5	2	0.23
GL12spss	M12		13	25.4	3	0.82
GL1/2"ss		1/2"	13.5	19.5	2	0.22
GL1/2"spss		1/2"	13.5	25.4	3.2	0.8
GL14ss	M14	9/16"	15.2	23	3	0.49
GL14spss	M14	9/16"	15.2	30.7	3.2	1.31
GL16ss	M16	5/8"	17	25.4	3	0.59
GL16spss	M16	5/8"	17	30.7	3.2	1.13
GL18ss	M18		19.5	29	3.2	0.8
GL18spss	M18		19.5	34.5	3.2	1.56
GL3/4"ss		3/4"	20	30.7	3.2	0.96
GL3/4spss		3/4"	20	39	3.2	2.1
GL20ss	M20		21.4	30.7	3	0.82
GL20spss	M20		21.4	39	3.2	2.06
GL22ss	M22	7/8"	23.4	34.5	3.2	1.23
GL22spss	M22	7/8"	23.4	42	3.2	2.22
GL24ss	M24		25.3	39	3.2	1.59
GL24spss	M24		25.3	48.5	3.2	3.5
GL1"ss		1"	27.9	39	3.2	1.42
GL1spss		1"	27.9	48.5	3.2	2.79
GL27ss	M27		28.4	42	6.8	3.45
GL27spss	M27		28.4	48.5	6.8	5.34
GL30ss	M30	1 1/8"	31.4	47	6.8	4.49
GL30spss	M30	1 1/8"	31.4	58.5	6.8	9.18
GL33ss	M33	1 1/4"	34.4	48.5	6.8	4.28
GL36ss	M36	1 3/8"	37.4	55	6.8	5.96
GL39ss	M39	1 1/2"	40.4	58.5	6.8	6.74
GL42ss	M42		43.2	63	6.8	7.5
GL45ss	M45	1 3/4"	46.2	70	6.8	10.2
GL48ss	M48		49.6	75	6.8	12
GL52ss	M52	2"	53.6	80	9	18.04
GL56ss	M56	2 1/4"	59.1	85	9	21.3
GL60ss	M60		63.1	90	9	23.5
GL64ss	M64	2 1/2"	67.1	95	9	25.8
GL68ss	M68		71.1	100	9	28.2
GL72ss	M72		75.1	105	9	30.7
GL76ss	M76	3"	79.1	110	9	33.3
GL80ss	M80		83.1	115	9	36



GL3-GL8
Qi±0.1mm
GL10-GL42
Qi±0.2mm
GL45-GL130
Qi+0.5/-0mm



GL3-GL24
Qo±0.2mm
GL27-GL42
Qo±0.3mm
GL45-GL130
Qo+0/-2.0mm



GL3-GL27
T±0.25mm
GL27-GL42
T+0/-0.5mm
GL45-GL130
T±0.75mm